FIG. 1A




FIG. 1B




FIG. 2




FIG. 3





FIG. 4






FIG. 6





FIG. 7 SHORT FOCAL POINT END EXP. 1







FIG. 9
LONG FOCAL POINT END EXP.1



- ON AXIS 0.9y' √ 0.5y′ 0.3y' 0.7y' **COMA ABERRATION** 1 -0.010 + 0.010 FIG. 10 SHORT FOCAL POINT END EXP.2 DISTORTION ABERRATION 3.00 y'=4.65 -3.00 0 -0.100 0 0.100 -0.100 0 0.100 **ASTIGMATISM** y'=4.65 **p** SPHERICAL ABERRATION F2.68 8





FIG. 12 LONG FOCAL POINT END EXP.2



ON AXIS 0.9y' 0.7y' 0.3y 0.5y' **COMA ABERRATION** L -0.010 + 0.010 FIG. 13 SHORT FOCAL POINT END EXP.3 DISTORTION ABERRATION -3.00 0 3.00 y'=4.65 -0.100 0 0.100 -0.100 0 0.100 **ASTIGMATISM** y'=4.65SPHERICAL ABERRATION F2.38 B

ON AXIS 0.9y' 0.7y' _ 0.5y' = 0.3y'**COMA ABERRATION** 1-0.010 0.010 FIG. 14
MIDDLE FOCAL LENGTH EXP.3 3.00 DISTORTION ABERRATION y'=4.65 -3.00 0 -0.100 0 0.100 -0.100 0 0.100 **ASTIGMATISM** y'=4.65 SPHERICAL ABERRATION F2.38

FIG. 15
LONG FOCAL POINT END EXP.3




FIG. 16 SHORT FOCAL POINT END EXP.4




FIG. 17
MIDDLE FOCAL LENGTH EXP.4





FIG. 18
LONG FOCAL POINT END EXP.4






FIG. 20 MIDDLE FOCAL LENGTH EXP.5




FIG. 21 LONG FOCAL POINT END EXP.5





FIG. 22A






FIG. 22C





FIG. 23A






FIG. 24A




FIG. 24B




FIG. 25A








FIG. 25B













FIG. 28
















ON AXIS y'=4.65 0.9y' 0.7y' 0.5y' 0.3y **COMA ABERRATION** L-0.020 -0.020 -3.00 0 3.00 DISTORTION ABERRATION FIG. 33 y=4.65 -0.100 0 0.100 -0.100 0 0.100 SPHERICAL ASTIGMATISM ABERRATION y'=4.65 poʻ F2.96
















FIG. 40

ON AXIS y'=4.65 0.3y' 0.7y' 0.5y' 0.9y' **COMA ABERRATION** 1 -0.020 +0.020-3.00 0 3.00 DISTORTION ABERRATION y'=4.65 -0.100 0 0.100 ASTIGMATISM y'=4.65 ъ0, -0.100 0 0.100 -SPHERICAL ABERRATION F3.52 Ş





ON AXIS 0.5y' 0.3y' 0.9y' 0.7y' **COMA ABERRATION** $^{\perp}$ -0.020 +0.020-3.00 0 3.00 DISTORTION ABERRATION FIG. 43 y'=4.65 -0.100 0 0.100 -0.100 0 0.100 SPHERICAL ASTIGMATISM ABERRATION y'=4.65 F3.45

COMA ABERRATION L-0.020 +0.020FIG. 44 3.00 -3.00 0 3.00 DISTORTION ABERRATION y'=4.65 -0.100 0 0.100 **ASTIGMATISM** y'=4.65 -0.100 0 0.100 SPHERICAL ABERRATION F3.93


0.9y'

0.7y'

0.5y'

ON AXIS

0.3y'








FIG. 47








FIG. 50A

TABLE 1A f=7.52~35.41, F=2.78~4.02, ω=32.88~7.35

SURFACE NUMBER	R	D	Nd	ud	REMARKS
01	26.655	1.20	1.84666	23.78	1-4 I ENC
02	15.449	0.86			1st LENS
03	16.227	4.67	1.77250	49.62	2-41 ENC
04	-690.022	▲A			2nd LENS
05*	-40.171	1.00	1.77250	49.62	21 LENC
06	11.901	2.28			3rd LENS
07*	-90.809	0.80	1.77250	49.62	411 1 5110
08	11.495	0.10			4th LENS
09	11.044	2.13	1.84666	23.78	EIL LENG
10	62.549	▲ B			5th LENS
11	DIAPHRAGM	0.50			
12*	9.691	1.20	1.48749	70.44	CAL LENC
13	16.569	▲C			6th LENS
14*	16.186	2.04	1.62299	58.12	7:1 LENO
15	-21.031	0.10			7th LENS
16	12.470	1.84	1.71300	53.94	8th LENS
17	-582.751	4.37	1.80518	25.46	OH LENC
18	6.332	▲D			9th LENS
19*	12.416	2.11	1.58913	61.25	10th 1 FNC
20	181.185	OPTION			10th LENS
21	. ∞	3.332	1.51680	64.20	VADIETY OF THE TERM
22	∞		·		VARIETY OF FILTERS

FIG. 50B

TABLE 1B

NON-SPHERICAL SURFACE OF 5th SURFACE K=0.0, A_4 =5.33251 × 10, A_6 =1.60356 × 10, A_8 =-1.65292 × 10, A_{10} =9.523698 × 10⁻¹¹

NON-SPHERICAL SURFACE OF 7th SURFACE K=-5.00470, A₄=-2.37368 × 10^{-5} A₆=-2.56706 × 10^{-6} A₈=-2.81710 × 10^{-8} A₁₀=1.37805 × 10^{-11}

NON-SPHERICAL SURFACE OF 12th SURFACE K=-1.96407, A₄=1.55199 × 10_{7}^{-4} A₆=-6.14819 × 10_{7}^{-6} A₈=5.61905 × 10_{7}^{-7} A₁₀=-2.19665 × 10_{7}^{-8}

NON-SPHERICAL SURFACE OF 14th SURFACE K=-2.41495, A_4 =-6.33751 × 10_7^{-5} A_6 =1.38599 × 10_7^{-6} A_8 =-8.42773 × 10_7^{-8} A_{10} =1.83313 × 10_7^{-4}

NON-SPHERICAL SURFACE OF 19th SURFACE K=0.0, A_4 =3.25504 × 10, A_6 =-1.10948 × 10, A_8 =9.67180 × 10, A_{10} =-1.28197 × 10 A_{10} =-1.28197 × 10

TABLE 1C VARIABLE INTERVAL

	SHORT FOCAL POINT END =7.52	MIDDLE FOCAL LENGTH f=16.32	LONG FOCAL POINT END f=35.41
Α	1.000	8.525	14.979
В	15.595	8.070	1.616
С	8.078	4.388	1.500
D	3.854	7.544	10.432

TABLE 1D PARAMETER VALUE OF CONDITIONAL EXPRESSION

$(D_{3W}-D_{3T})/(D_{1T}-D_{1W})=0.47$			
(f12T/f1)=-1.090			
(f12T/f12w)/(fT/fw)=0.537			

TABLE 1E

FOCAL LENGTH & VARIABLE INTERVALS WHEN MAGNIFICATION FROM SHORT TO LONG FOCAL POINT ENDS IS PERFORMED AND THE 4TH LENS BAND IS CLOSEST TO THE 3RD LENS BAND

f:32.861.	A:14.155,	B:2.440.	C:1.350.	D:10.582	-
	,	,	0,		

FIG. 51A

TABLE 2A f=7.52~35.42, F=2.68~4.02, ω=32.96~7.32

SURFACE NUMBER	R	D	Nd	ud	REMARKS
01	26.120	1.20	1.84666	23.78	1-4 L FMC
02	15.408	0.73			1st LENS
03	16.082	4.44	1.77250	49.62	2nd LENS
04	-2461.477	▲A			ZIIG LENS
05*	-53.574	1.00	1.80610	40.73	3rd LENS
06	11.021	2.33			3rd LENS
07*	-189.253	0.80	1.69350	53.34	4th LENS
08	9.727	0.11			4th LENS
09	9.808	2.22	1.84666	23.78	Eth I ENC
10	43.589	▲B			5th LENS
11	DIAPHRAGM	0.50			
12*	10.080	1.19	1.48749	70.44	6th LENS
13	17.824	▲C			our LENS
14*	14.261	2.45	1.58913	61.25	745 I ENC
15	-21.061	0.10			7th LENS
16	11.627	2.45	1.70514	41.15	8th LENS
17	-33.441	2.88	1.80518	25.46	9th LENS
18	6.497	▲D			
19*	10.344	1.98	1.58913	61.25	1045 I ENC
20	33.975	OPTION			10th LENS
21	∞	3.332	1.51680	64.20	VARIETY OF THE TERM
22	∞				VARIETY OF FILTERS

FIG. 51B

TABLE 2B

NON-SPHERICAL SURFACE OF 5th SURFACE K=0.0, A₄=3.77213 \times 10,⁻⁵A₆=1.03690 \times 10,⁻⁶A₈=1.11273 \times 10,⁻⁸A₁₀=6.33905 \times 10⁻¹¹

NON-SPHERICAL SURFACE OF 7th SURFACE K=0.0, A₄= 9.35662×10 , A₆= -2.41906×10 , A₈= 5.93970×10 , A₁₀= -3.64847×10^{-10}

NON-SPHERICAL SURFACE OF 12th SURFACE K=-2.14178, A₄=1.44251 \times 10, A₆=-4.77086 \times 10, A₈=4.23771 \times 10, A₁₀=-1.74996 \times 10⁻⁸

NON-SPHERICAL SURFACE OF 14th SURFACE K=-1.75847, A₄=-4.69337 \times 10,⁻⁵A₆=5.28273 \times 10,⁻⁷A₈=-2.09994 \times 10,⁻⁸A₁₀=3.06349 \times 10⁻¹⁰

NON-SPHERICAL SURFACE OF 19th SURFACE K=0.0, A_4 =-3.92832 × $10^{-5}_{-5}A_6$ =-4.61773 × $10^{-7}_{-7}A_8$ =8.17517 × 10^{-6}_{-7} A₁₀=-1.25985 × 10^{-9}

TABLE 2C VARIABLE INTERVAL

	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LENGTH f=16.33	LONG FOCAL POINT END f=35.42
Α	1.000	8.620	14.603
В	15.257	7.636	1.654
C	8.946	5.131	1.500
D	3.196	7.057	11.587

TABLE 2D PARAMETER VALUE OF CONDITIONAL EXPRESSION

(Dзw-Dзт)/(D1т-D1w)=0.55	
(f12T/f1)=-1.086	
(f12T/f12w)/(fT/fw)=0.523	

FIG. 52A

TABLE 3A f=7.52~42.48, F=2.38~4.00, ω=33.10~6.12

SURFACE NUMBER	R	D	Nd	ud	REMARKS
01	31.036	1.02	1.84666	23.78	
02	17.869	1.41			1st LENS
03	19.260	4.17	1.77250	49.62	0-41 ENC
04	-267.057	A			2nd LENS
05*	-43.607	1.00	1.83500	42.98	2
06	11.134	2.45			3rd LENS
07*	-378.543	0.80	1.74330	49.22	4th LENS
08	14.455	0.10			4di EENO
09	13.436	2.30	1.84666	23.78	Eth LENC
10	339.694	▲ B			5th LENS
11	DIAPHRAGM	0.50			•
12*	11.208	1.21	1.48749	70.44	6th LENS
13	17.548	▲C		, -	our Lens
14*	16.335	2.80	1.62299	58.12	745 1 ENC
15	-30.357	0.10			7th LENS
16	16.543	3.24	1.77250	49.62	8th LENS
17	-17.522	2.43	1.71736	29.50	9th LENS
18	7.459	▲D			901 LENS
19*	9.682	2.25	1.48749	70.44	10th LENC
20	30.238	OPTION			10th LENS
21	∞	3.332	1.51680	64.20	VADIETY OF EUTERS
22	∞				VARIETY OF FILTERS

FIG. 52B

TABLE 3B

NON-SPHERICAL SURFACE OF 5th SURFACE K=0.0, A₄= 5.12563×10 , $^{-5}A_6$ = 1.60220×10 , $^{-7}A_8$ = 6.03181×10 , $^{-11}A_{10}$ = -5.54096×10^{-12}

NON-SPHERICAL SURFACE OF 7th SURFACE K=-2372.29, A₄=8.29144 \times 10,⁻⁶A₆=-3.62960 \times 10,⁻⁷A₈=-1.18221 \times 10,⁻⁸A₁₀=-6.64935 \times 10⁻¹¹

NON-SPHERICAL SURFACE OF 12th SURFACE K=-2.54795, A₄=1.30168 × 10, A₆=-9.63887 × 10, A₈=7.57566 × 10, A₁₀=-2.29717 × 10^{-11}

NON-SPHERICAL SURFACE OF 14th SURFACE K=-1.25642, A_4 =-4.03456 × 10, A_6 =4.01824 × 10, A_8 =-1.74724 × 10,

NON-SPHERICAL SURFACE OF 19th SURFACE K=0.0, A₄=-4.24707 \times 10,⁻⁵A₆=5.03298 \times 10,⁻⁷A₈=2.74980 \times 10,⁻⁹A₁₀=3.15192 \times 10⁻¹¹

TABLE 3C VARIABLE INTERVAL

	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LENGTH f=17.88	LONG FOCAL POINT END f=42.48
Α	1.000	10.341	17.787
В	18.311	8.970	1.524
С	12.515	6.527	1.500
D	3.171	10.194	16.950

TABLE 3D PARAMETER VALUE OF CONDITIONAL EXPRESSION

(D3w-D3T)/(D1T-D1w)=0.66
(f12T/f1)=-1.144
(f12T/f12w)/(fT/fw)=0.465

FIG. 53A

TABLE 4A f=7.52 \sim 35.42, F=2.62 \sim 4.00, ω =32.99 \sim 7.41

SURFACE NUMBER	R	D	Nd	νd	REMARKS
01	26.529	1.20	1.84666	23.78	1st LENS
02	15.607	1.17			ISC LENS
03	16.702	4.36	1.77250	49.62	2nd LENS
04	-371.916	A			ZIId LENS
05*	-29.404	1.00	1.80610	40.73	3rd LENS
06	8.571	2.20			Sra LENS
07	32.023	0.80	1.54072	47.20	4th LENS
08	8.557	2.49	1.84666	23.78	5th LENS
09	30.960	▲B			Jui LENS
10	DIAPHRAGM	0.50			
11*	7.674	1.10	1.58913	61.25	CTP I ENC
12	8.158	▲ C			6th LENS
13*	10.021	2.54	1.58913	61.25	7.1 1 510
14*	-63.691	0.10			7th LENS
15	15.867	2.15	1.48749	70.44	OH LENC
16	-50.882	0.10			8th LENS
17	12.522	1.82	1.59913	61.25	9th LENS
18	76.837	0.80	1.80518	25.46	1011 I FNC
19	5.641	▲D			10th LENS
20	18.992	3.37	1.60342	38.01	1145 I FNC
21*	-47.165	OPTION			11th LENS
22	∞	3.214	1.51680	64.20	VADIETY OF EUTEDS
23	∞				VARIETY OF FILTERS

FIG. 53B

TABLE 4B

NON-SPHERICAL SURFACE OF 5th SURFACE K=0.0, A_4 =1.37015 × $10_7^{-4}A_6$ =-9.81958 × $10_7^{-7}A_8$ =9.21207 × $10_7^{-9}A_10$ =-4.92691 × 10_7^{-11}

NON-SPHERICAL SURFACE OF 11th SURFACE K=-1.20196, A₄= 2.83724×10^{-4} A₆= -6.86713×10^{-6} A₈= 9.48847×10^{-7} A₁₀= -3.87184×10^{-6}

NON-SPHERICAL SURFACE OF 13th SURFACE K=-1.13642, A₄=6.34825 \times 10, A₆=2.90033 \times 10, A₈=-3.90207 \times 10, A₁₀=1.09626 \times 10 -10

NON-SPHERICAL SURFACE OF 14th SURFACE K=-70.9456, A₄=6.79619 \times 10, A₆=3.00428 \times 10, A₈=-3.35316 \times 10, A₁₀=-1.72607 \times 10⁻¹⁰

NON-SPHERICAL SURFACE OF 21th SURFACE K=14.57109, A4=-5.21909 \times 10, $^{-5}$ A6=-3.69390 \times 10, $^{-6}$ A8=7.04367 \times 10, $^{-8}$ A10=-6.33661 \times 10 $^{-10}$

TABLE 4C VARIABLE INTERVAL

	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LENGTH f=16.33	LONG FOCAL POINT END f=35.42
Α	1.530	8.117	15.363
В	15.770	9.183	1.937
С	8.000	3.409	1.500
D	3.964	9.176	11.332

TABLE 4D PARAMETER VALUE OF CONDITIONAL EXPRESSION

(Dзw-Dзт)/(D1т-D1w)=0.47	
(f12T/f1)=-1.308	
(f12T/f12w)/(fT/fw)=0.565	

FIG. 54A TABLE 5A

f=7.52 \sim 35.42, F=2.70 \sim 4.02, ω =33.09 \sim 7.35

SURFACE NUMBER	R	D	Nd	ud	REMARKS
01	39.389	1.20	1.84666	23.78	
02	20.025	3.88			1st LENS
03	158.989	0.10	1.53172	48.84	2nd LENS
04	26.736	2.70	1.77250	49.62	
05	578.390	▲A			3rd LENS
06*	-71.421	1.00	1.80610	40.73	ALL LENC
07*	8.802	3.05			4th LENS
08	-16.232	0.80	1.51742	52.15	5th LENS
09	11.846	2.06	1.84666	23.78	0.1 1 5.10
10	∞	▲B			6th LENS
11	DIAPHRAGM	0.50			
12*	7.657	1.12	1.58913	61.25	744 L ENC
13	8.381	▲C			7th LENS
14*	9.908	2.63	1.58913	61.25	OHL LENC
15*	-40.037	0.11			8th LENS
16	38.816	2.12	1.48749	70.44	0.1 1 5110
17	-18.714	0.18			9th LENS
18	15.283	1.87	1.58913	61.25	10th LENS
19	-112.371	1.17	1.80518	25.46	44.1 510
20	6.199	▲D			11th LENS
21	17.732	1.96	1.64769	33.84	19+6 ENC
22*	-121.961	ОРПОИ			12th LENS
23	∞	3.214	1.51680	64.20	VARIETY OF FILTERS
24	∞				VARIETT OF FILTERS

FIG. 54B

TABLE 5B

NON-SPHERICAL SURFACE OF 6th SURFACE K=0.0, A_4 =9.14684 × 10, A_6 =-9.34472 × 10, A_8 =1.42322 × 10, A_{10} =-1.17627 × 10⁻¹⁰

NON-SPHERICAL SURFACE OF 7th SURFACE K=0.09374, A₄= 2.75961×10^{-5} A₆= 1.27476×10^{-6} A₈= 1.62751×10^{-8} A₁₀= 7.41921×10^{-10}

NON-SPHERICAL SURFACE OF 12th SURFACE K=-1.26140, A_4 =2.67355 × 10, A_6 =-6.25917 × 10, A_8 =8.12274 × 10, A_{10} =-3.08665 × 10 A_{10}

NON-SPHERICAL SURFACE OF 14th SURFACE K=-1.30919, A_4 =-1.18876 × 10, A_6 =2.33312 × 10, A_8 =-1.34009 × 10, A_{10} =-4.54838 × 10⁻¹⁰

NON-SPHERICAL SURFACE OF 15th SURFACE K=-46.11855, A₄= 7.30394×10 , $^{-5}A_6$ = 3.24821×10 , $^{-6}A_8$ = -2.36224×10 , $^{-8}A_{10}$ = -5.40644×10^{-10}

NON-SPHERICAL SURFACE OF 22th SURFACE K=45.76087, A_4 =-5.63924 × 10, A_6 =-2.40860 × 10, A_8 =7.82626 × 10, A_{10} =-1.12266 × 10 A_{10}

TABLE 5C VARIABLE INTERVAL

	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LENGTH f=16.33	LONG FOCAL POINT END f=35.42
Α	1.239	7.297	13.763
В	14.024	7.966	1.500
С	8.000	3.593	1.500
D	3.950	10.036	11.215

TABLE 5D PARAMETER VALUE OF CONDITIONAL EXPRESSION

(Dзw-Dзт)/(D1т-D1w)=0.52	
(f12T/f1)=-1.223	
(f12T/f12w)/(fr/fw)=0.559	

FIG. 55A

TABLE 6A f=7.52 \sim 35.42, F=2.62 \sim 4.00, ω =32.99 \sim 7.41

SURFACE NUMBER	R	D	Nd	ud	REMARKS	
01	26.529	1.20	1.84666	23.78	1st LENS	
02	15.607	1.17				
03	16.702	4.36	1.77250	49.62	2nd LENS	
04	-371.916	▲A			Znd Leins	
05*	-29.404	1.00	1.80610	40.73	2	
06	8.571	2.20			3rd LENS	
07	32.023	0.80	1.54072	47.20	4th LENS	
08	8.557	2.49	1.84666	23.78	EAL LENC	
09	30.960	▲ B			5th LENS	
10	DIAPHRAGM	0.50				
11*	7.674	1.10	1.58913	61.25	CAL LENC	
12	8.158	▲C			6th LENS	
13*	10.021	2.54	1.58913	61.25	741. 1 FNC	
14*	-63.691	0.10			7th LENS	
15	15.867	2.15	1.48749	70.44	8th LENS	
16	-50.882	0.10			oui LENS	
17	12.522	1.82	1.59913	61.25	9th LENS	
18	76.837	0.80	1.80518	25.46	1011 LENG	
19	5.641	▲D			10th LENS	
20	18.992	3.37	1.60342	38.01	11+b ENC	
21*	-47.165	OPTION			11th LENS	
22	∞	3.214	1.51680	64.20	VARIETY OF THEFE	
23	∞				VARIETY OF FILTERS	

FIG. 55B

TABLE 6B

NON-SPHERICAL SURFACE OF 5th SURFACE K=0.0, A_4 =1.37015 × 10, A_6 =-9.81958 × 10, A_8 =9.21207 × 10, A_{10} =-4.92691 × 10 A_{10}

NON-SPHERICAL SURFACE OF 11th SURFACE K=-1.20196, A_4 =2.83724 × 10, A_6 =-6.86713 × 10, A_8 =9.48847 × 10, A_{10} =-3.87184 × 10-8

NON-SPHERICAL SURFACE OF 13th SURFACE K=-1.13642, A₄= 6.34825×10^{-6} A₆= 2.90033×10^{-6} A₈= -3.90207×10^{-8} A₁₀= 1.09626×10^{-10}

NON-SPHERICAL SURFACE OF 14th SURFACE K=-70.94256, A₄=6.79619 \times 10, A₆=3.00428 \times 10, A₈=-3.35316 \times 10, A₁₀=-1.72607 \times 10⁻¹⁰

NON-SPHERICAL SURFACE OF 21th SURFACE K=14.57109, A_4 =-5.21909 × 10^{-5} A_6 =-3.69390 × 10^{-6} A_8 =7.04367 × 10^{-8} A_{10} =-6.33661 × 10^{-10}

TABLE 6C VARIABLE INTERVAL: TYPICAL PHOTOGRAPHING REGION

	AT INFIN- ITY	AT INFIN- ITY	AT INFIN- ITY	0.3m	0.4m	0.5m
	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LINGTH f=16.33	LONG FOCAL POINT END f=35.42	SHORT FOCAL POINT END f=7.44	MIDDLE FOCAL LENGTH f=15.71	MIDDLE FOCAL POINT END f=31.60
Α	1.530	8.117	15.363	1.530	8.117	15.363
В	15.770	9.183	1.937	15.770	9.183	1.937
С	8.000	3.409	1.500	8.000	3.409	1.500
D	3.964	9.176	11.332	3.571	7.896	7.438

FIG. 55C

TABLE 6D VARIABLE INTERVAL IN MACRO MODE (A PHOTOGRAPHIC DISTANCE IS FROM AN IMAGE SURFACE)

	0.3m	0.077m
	f=12.03	f=10.43
Α	4.508	4.508
В	12.792	12.792
С	3.816	3.816
D	8.960	4.150

TABLE 6E PARAMETER VALUE OF CONDITIONAL EXPRESSION

(L1c-L1w)/(L1T-L1w)=0.215
(L3C-L3T)/(L3W-L3T)=0.356
(D3w-D3T)/(D1T-D1w)=0.47
(f12T/f1)=-1.308

FIG. 56A TABLE 7A

f=7.52 \sim 35.42, F=2.70 \sim 4.02, ω =33.09 \sim 7.35

SURFACE					
NUMBER	R	D	Nd	ud	REMARKS
01	39.389	1.20	1.84666	23.78	1-+ 1 FNC
02	20.025	3.88	1.53172	48.84	1st LENS
03	158.989	0.10			2nd LENS
04	26.736	2.70	1.77250	49.62	0 11 510
05	578.390	▲A			3rd LENS
06*	-71.421	1.00	1.80610	40.73	ALL LENC
07*	8.802	3.05			4th LENS
08	-16.232	0.80	1.51742	52.15	5th LENS
09	11.846	2.06	1.84666	23.78	OIL LENO
10	∞	▲B			6th LENS
11	DIAPHRAGM	0.50			
12*	7.657	1.12	1.58913	61.25	7th LENS
13	8.381	▲C			
14*	9.908	2.63	1.58913	61.25	OH LENC
15*	-40.037	0.11			8th LENS
16	38.816	2.12	1.48749	70.44	011 1 5110
17	-18.714	0.18		· ·	9th LENS
18	15.283	1.87	1.58913	61.25	10th LENS
19	-112.371	1.17	1.80518	25.46	441 4510
20	6.199	▲D			11th LENS
21	17.732	1.96	1.64769	33.84	1945 LENC
22*	-121.961	OPTION			12th LENS
23	∞	3.214	1.51680	64.20	VADICTY OF THE TERM
24	∞				VARIETY OF FILTERS

FIG. 56B

TABLE 7B

NON-SPHERICAL SURFACE OF 6th SURFACE K=0.0, A_4 =9.14684 × 10, A_6 =-9.34472 × 10, A_8 =1.42322 × 10, A_{10} =-1.17627 × 10⁻¹⁰

NON-SPHERICAL SURFACE OF 7th SURFACE K=0.09374, A_4 =2.75961 × 10, A_6 =1.27476 × 10, A_8 =-1.62751 × 10, A_{10} =7.41921 × 10⁻¹⁰

NON-SPHERICAL SURFACE OF 12th SURFACE K=-1.26140, A₄= 2.67355×10^{-4} A₆= -6.25917×10^{-6} A₈= 8.12274×10^{-7} A₁₀= -3.08665×10^{-8}

NON-SPHERICAL SURFACE OF 14th SURFACE K=-1.30919, A₄=-1.18876 \times 10, A₆=2.33312 \times 10, A₈=-1.34009 \times 10, A₁₀=-4.54838 \times 10 -10

NON-SPHERICAL SURFACE OF 15th SURFACE K=-46.11855, A₄=7.30394 \times 10, A₆=3.24821 \times 10, A₈=-2.36224 \times 10, A₁₀=-5.40644 \times 10⁻¹⁰

TABLE 7C VALUABLE INTERVAL: TYPICAL PHOTOGRAPHING REGION

	AT INFIN- ITY	AT INFIN- ITY	AT INFIN- ITY	0.3m	0.4m	0.5m
	SHORT FOCAL POINT END f=7.52	MIDDLE FOCAL LENGTH f=16.33	LONG FOCAL POINT END f=35.42	SHORT FOCAL POINT END f=7.42		MIDDLE FOCAL POINT END f=31.93
Α	1.239	7.297	13.763	1.239	7.297	13.763
В	14.024	7.966	1.500	14.024	7.966	1.500
С	8.000	3.593	1.500	8.000	3.593	1.500
D	5.563	10.036	11.215	5.118	8.673	7.390

FIG. 56C

TABLE 7D
VARIABLE INTERVAL
IN MACRO MODE
(PHOTOGRAPHIC DISTANCE
IS FROM IMAGE SURFACE)

	0.3m	0.077m
	f=12.55	f=10.72
Α	4.406	4.406
В	10.857	10.857
С	3.864	3.864
D	10.270	4.960

TABLE 7E PARAMETER VALUE OF CONDITIONAL EXPRESSION

(L1c-L1w)/(L1T-L1w)=0.253
(L3C-L3T)/(L3W-L3T)=0.364
(D3w-D3T)/(D1T-D1w)=0.52
(f12T/f1)=-1.223

FIG. 57A TABLE 8A

f=7.52 \sim 35.41, F=2.76 \sim 3.93, ω =33.03 \sim 7.33

SURFACE NUMBER	R	D	Nd	ud	REMARKS	
01	49.347	1.20	1.84666	23.78	1st LENS	
02	21.523	4.03	1.53172	48.84	2nd LENS	
03	-735.434	0.10				
04	24.328	2.83	1.77250	49.62	3rd LENS	
05	253.175	▲A				
06*	-60.958	1.00	1.84666	40.73	4th LENS	
07	8.431	2.83				
08	-14.822	0.80	1.51680	64.20	5th LENS	
09	12.501	1.89	1.84666	23.78	6th LENS	
10	∞	▲ B				
11	DIAPHRAGM	0.50				
12*	12.181	1.16	1.58913	61.25	7.1 1 510	
13	19.058	▲ C	-		7th LENS	
14*	10.066	2.66	1.51680	64.20	8th LENS	
15	-37.782	0.23				
16*	26.397	2.21	1.48749	70.44	9th LENS	
17	-19.437	0.10				
18	15.810	1.87	1.62374	47.05	10th LENS	
19	-94.257	0.81	1.80518	25.46	444 LENO	
20	6.298	▲D			11th LENS	
21	16.724	3.19	1.62004	36.30	12th LENS	
22*	-226.088	ΟΡΠΟΝ				
23	∞	3.214	1.51680	64.20	VADIETY OF ELITEDS	
24	∞				VARIETY OF FILTERS	

FIG. 57B

TABLE 8B

NON-SPHERICAL SURFACE IN 6th SURFACE K=0.0, A₄=7.30131 \times 10, $^{-5}$ A₆=-7.18253 \times 10, $^{-7}$ A₈=7.92813 \times 10, $^{-9}$ A₁₀=-4.79927 \times 10 $^{-11}$

NON-SPHERICAL SURFACE IN 12th SURFACE K=-2.47920, A₄=1.19559 \times 10, A₆=-7.86193 \times 10, A₈=8.04663 \times 10, A₁₀=-3.15795 \times 10⁻⁸

NON-SPHERICAL SURFACE IN 14th SURFACE K=-1.36970 A_4 =-2.75811 × 10, A_6 =-9.84986 × 10, A_8 =-5.50234 × 10, A_{10} =-1.76532 × 10 A_{10}

NON-SPHERICAL SURFACE IN 16th SURFACE K=-16.43413, A_4 =-5.94270 × 10_7^{-5} A_6 =3.37933 × 10_7^{-7} A_8 =8.00684 × 10_7^{-8} A_{10} =3.43034 × 10_7^{-10}

NON-SPHERICAL SURFACE IN 22th SURFACE K=0.0, A_4 =-4.02551 × 10, A_6 =-2.96070 × 10, A_8 =9.12260 × 10, A_{10} =-1.34602 × 10 A_{10}

TABLE 8C VARIABLE INTERVAL: TYPICAL PHOTOGRAPHING REGION

	AT INFIN-	AT INFIN-	AT INFIN-	0.3m	0.4m	0.5m
	ITY	ITY	ITY			
	SHORT	MIDDLE	LONG	SHORT	MIDDLE	MIDDLE
	FOCAL	FOCAL	FOCAL	FOCAL	FOCAL	FOCAL
	POINT	LENGTH	POINT	LENGTH	POINT	POINT
i	END	f=16.33	END	f=7.43	END	END
	f=7.52		f=35.41		f=15.76	f=32.02
Α	1.362	7.523	13.223	1.362	7.523	13.223
В	13.361	7.201	1.500	13.361	7.201	1.500
С	8.000	3.864	1.500	8.000	3.864	1.500
D	5.373	9.240	11.288	4.937	7.944	7.412

FIG. 57C

TABLE 8D VARIABLE INTERVAL IN MACRO MODE (PHOTOGRAPHIC DISTANCE IS FROM IMAGE SURFACE)

	0.3m	0.077m		
	f=12.79	f=11.19		
Α	5.415	5.415		
В	9.308	9.308		
С	4.309	4.309		
D	8.630	3.620		

TABLE 8E PARAMETER VALUE OF CONDITIONAL EXPRESSION

(L1c-L1w)/(L1T-L1w)=0.342
(L3C-L3T)/(L3W-L3T)=0.432
$(D_{3W}-D_{3T})/(D_{1T}-D_{1W})=0.55$
(f12T/f1)=-1.211